

KLEIBERIT 882.6

Release Agent

Fields of application

KLEIBERIT 882.6 is a high-quality release agent that is mainly used in the furniture industry for edge processing.

Advantages


Achieving a perfect surface finish in the edge area

Properties of the Release Agent

Density:	0.791 g/cm ³ (20°C)
Consistency:	fluid
Colour:	orange
Odour:	solvent-like
Identification:	see our safety data sheet

Processing

Fill the container on the spray device with release agent KLEIBERIT 882.6 and set the optimal spray strength. Carry out a test run to be on the safe side.



Outcome

KLEIBERIT 882.6 cleaning agent is used just before the scraper. This enables the scraper to pull it off more gently and optimally. Through the constant use of the KLEIBERIT 882.6 cleaning agent, the previously applied release agent and all glue residues are removed. In addition, the edge radius is returned to its original gloss, which ensures a high-quality look. Another advantage in the application is the additional cooling of the edge and glue joint.

Packaging

Plastic pail, 5 kg net
 Plastic pail, 10 kg net
 Plastic pail, 30 kg net
 Plastic container, 200 kg net

Additional packaging upon request

Storage

Store in a cool and dry place. If properly stored, it can be stored for at least 2 years.

Version 02/09/2021 xi; replaces previous versions

KLEIBERIT 882.6

Adhesive and Waste Disposal

Waste Code 080410

Our containers are made of recyclable material. Well drained containers can be recycled.

Service

Our application department may be consulted at any time without obligation. The statements made herein are based on our experience gained to date. They are to be considered as information without obligation. Please test and establish for yourself the suitability of our products for your particular purposes. No liability exceeding the value of our product can be derived from the foregoing statements. This also applies to the technical consultancy service which is rendered free of charge and without obligation.